FL26 Portable



The product has been discontinued online. Please contact our sales representative for more information.
FL26 is a portable LED work light with a power of 100W. It can be fitted with 90° optic lens, system efficiency up to 130lm/W, which meets the lighting need of the indoor and outdoor temporary sites. FL26 fixture adopts the stainless steel plate and PC lens, and its special bracket can hold the fixture body stands up firmly in any harsh working environments.
Compact size easy to be taken out.
High output efficiency up to 130lm/W.
Front plate uses the brushed stainless steel, corrosion resistance.
Built-in 10KV surge protection helps fixture safety.
Impact resistance IK10, safe to use in construction and repair sites.

ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	FL26
Power	100W
Efficacy	130lm/W
Input Voltage	220-240VAC, 50 / 60 Hz
Power Factor	>0.90
CCT	5000K, 4000K, 3000K
CRI(Ra)	80, 70
Control	Non-Dimmable
IP Rating	IP66
IK Rating	IK10
Warranty	5 Years
Surge Protection	6kV line-line, 10kV line-earth
Operating Temperature	-30°C to + 50°C

The product has been discontinued online. Please contact our sales representative for more information. FL26 is a portable LED work light with a power of 100W. It can be fitted with 90° optic lens, system efficiency up to 130lm/W, which meets the lighting need of the indoor and outdoor temporary sites. FL26 fixture adopts the stainless steel plate and PC lens, and its special bracket can hold the fixture body stands up firmly in any harsh working environments. Compact size easy to be taken out. High output efficiency up to 130lm/W. Front plate uses the brushed stainless steel, corrosion resistance. Built-in 10KV surge protection helps fixture safety. Impact resistance IK10, safe to use in construction and repair sites.


PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4