KIRITO



BL11 Zonelum

Zone Control LED Bollard Light

Smart Bollard Light with Zone Control-Adjust the Zone for Perfect Garden Ambiance.

- 1/2 Zone controllable
- Up to 110lm/W
- Power Selectable
- CCT Selectable
- IP66
- IK08
- PIR

One Power, Three Sizes


Choose from 3 versatile sizes to perfectly illuminate any outdoor space.



Smart Dual-zone Control

Full Zones for both sides or Half Zone for one side – perfect for flexible pathway lighting.







SKUs & Energy Saving

Three power & three CCT selectable
to reduce SKUs.
Optional PIR sensor for energy-saving.







360°

Flexible Installation

Effortless 360° installation – No need to align screw holes, just adjust and secure for flexible lighting in any direction.



ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	BL11
Power	15W, 20W, 25W
Efficacy	110lm/W
Input Voltage	220-240VAC, 50 / 60 Hz
Power Factor	>0.90
CCT	2700K, 3000K, 4000K
CRI(Ra)	70, 80
Control	Anchor Bolt templates
IP Rating	IP66
IK Rating	IK08
Warranty	5 Years
Operating Temperature	-30°C to + 45°C

Zonelum is a smart bollard light featuring dual-zone control to suit different needs. Available in three heights, it is adaptable for a wide range of applications. Three power and three CCT selectable options reduce SKUs. The effortless 360° installation eliminates the need to align screw holes. With IP66 and IK08 ratings, Zonelum ensures long-lasting outdoor reliability. The PIR sensor is optional for additional energy savings.

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4