ECOLITE

IP65 | IK08 | 5 YEAR

UGR<19 but Cost-effective

100W | 120W | 150W | 200W

Popular Efficiency on the market

155LM/W



Anti-glare UGR<19

Professional optics creates excellent and productive working conditions



Twist Sensor

Fast sensor installation in 1 second





φ362MM **2.7KG**

Big size but light weight, easy installation /maintenance for electricians

Optional Accessory



AL reflector



PC reflector



Microwave Sensor



Mounting bracket

KIRITO













ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	HB49
Power	100W, 120W, 150W, 200W
Efficacy	155lm/W
Input Voltage	220-240VAC, 50 / 60 Hz
Power Factor	>0.90
UGR Level	18
CCT	3000K, 4000K, 5000K
CRI(Ra)	70
Control	Dimmable, Microwave Sensor
IP Rating	IP65
IK Rating	IK08
Mounting Option	Loop Hanging, Ceiling Mounting
Warranty	5 Years
Surge Protection	4kV line-line, 4kV line-earth
Operating Temperature	-30°C to + 50°C

The product has been discontinued online. Please contact our sales representative for more information. The ECOLITE is targeting low glare high bay projects with tight budgets. With its UGR<19 and 155lm/W high efficiency, Ecolite is suitable for most visual comfort applications. To optimize the cost, ECOLITE has its driver built into the housing, saving the cost of the driver shell. Its large size heat sink of 362MM ensures better heat dissipation and long life. The lightweight design of 2.7 kg, is easy for installation, and maintenance for electricians. Twist microwave sensor design, fast sensor installation in seconds. Eyes-friendly UGR<19 optics and affordable cost. 155lm/W high-efficiency popular version in the market. Twist Microwave motion sensor. 362MM & 2.7KG, big size but lightweight, easy installation/maintenance for electricians. Applications: For indoor and outdoor high-ceiling applications that with high demands for visual comforts, such as supermarkets, gyms, warehouses, workshops, libraries, etc.

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4