


HiHot Smart Highbay

- Smart control all in one
- High efficiency 190lm/w


High Efficiency up to 190lm/W.
With beam angles of 60 90 120 degrees.

A 100W fixture replace 400W HID lamp perfectly. You can get payback less than a year.




Room 2-HB25 90DEG-10m / False Color Rendering


VS




Room 4-HID-400W-10m / False Color Rendering



H00111 (60°)



H00108 (90°)



H00115 (120°)

Various intelligent control
Out of imagination

Smart control all in one, free electricians from complicated installations.





+



Zigbee Controller



Motion Sensor



2in1 sensor
Zigbee & Motion



Zigbee& daylight sensor for constant illuminance

Light in Weight
200W only 4.3kg

Lighter weight for easier installation and maintenance, as well as lower shipping cost.







KIRITO















BRIGHTNESS
70%
80%
90%
100%
SENSITIVITY
20%
50%
75%
100%
HOLD TIME
10s
1m
5m
10m
15m
20m
30m
60m
DAYLIGHT SENSOR
10
30
50
100
300
500
STAND-BY
TIME DIM
0%
10%
30%
50%
+∞
1m
30m
60m
ON/OFF
DISP
SEND
AUTO
OK
RESET
TEST
2s
MODE1
MODE2
MODE3
MODE4












Stationery
Art & Education
Calendar Year Diaries & Calendars
2022 CALENDARS & PLANNERS
JANUARY
Tech issues?
Problem solved.
geeks2u
LOW PRICES EVERY DAY
AGC lighting


AGC lighting
AGC lighting
BIENVENUE
F
F

ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	HB25
Power	100W, 120W, 150W, 200W, 240W, 300W
Efficacy	140lm/W, 150lm/W, 190lm/W
Input Voltage	100-240 VAC, 50 / 60 Hz
Power Factor	>0.92
UGR Level	25
CCT	5000K, 4000K, 3000K
CRI(Ra)	80, 70
Control	Dimmable, DALI, Microwave Sensor, ZigBee Control, Wireless, Non-Dimmable
IP Rating	IP65
IK Rating	IK08
Mounting Option	Loop Hanging, Ceiling Mounting
Warranty	5 Years, 10 Years
Surge Protection	4kV line-line, 6kV line-earth, 2kV line-line, 4kV line-earth
Operating Temperature	-30°C to + 50°C

The product has been discontinued online. Please contact our sales representative for more information. HiHot supports 190lm/W high lumen output and various beam angles (60° 90° 120°), perfect for high mounting applications. The plug-and-play sensor gets more energy saving. HiHot inherits the classic look and style of the previous generations, while it integrates a sensor at the middle of housing, which makes high bay lights a more intelligent solution for saving energy, meanwhile, efficiency is upgraded further. HiHot helped partners ahead of the competitors in the age of quality and price competition. Plug and play sensor. Beam angle & Power selectable solution optional. Rack Optics, Dotted PC Lens, and Strip Lens are available. PC and ALU reflectors are optional. Highly efficiency up to 200lm/W. Diameter up to 360mm, durable and quality-worthy. Rack optics available, suitable for use in warehouse aisle area. Plug & play Microwave and PIR sensor, easy for stocking. Applications Retail Lighting Stadium & Arenas High Temperature Area

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4

PRODUCT VIEWS



VIEW 5



VIEW 6