KIRITO



FL39 Cellos Mesh

Casambi-ready LED Flood Light


A Smart RGB Floodlight with Casambi Control for Seamless Wireless Dimming and Color Tuning.

- RGB
- RGBW
- Tunable White
- IP66
- IK08
- CASAMBI
- Bluetooth

Exquisite Design

Its unique grey finish sets it apart from ordinary outdoor lighting, offering both sophistication and high-performance illumination.





Easy Operation

No address programming, just scan and adjust colors, brightness, and scenes instantly from your smartphone, very friendly for non-professional users.

RGB

RGBW


Tunable White

Bluetooth




Quick Installation

No complex DMX wiring, just power the lights, very cost-effective.



Multiple Optics Ranging from Narrow to Wide Beam

Ultra-narrow 3° beam angle delivers powerful, long-range precision lighting for spotlight effects and distant illumination.



ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	FL39
Power	35W, 100W, 150W
Input Voltage	220-240VAC, 50 / 60 Hz
Power Factor	>0.97
CCT	4000K (2200K, 3000K, 5000K optional)/RGB/RGBW/CCT adjustable(2200K-4000K)
CRI(Ra)	80 (70, 90 optional)
Control	Casambi
Corrosion Class	C3
IP Rating	IP66
IK Rating	IK08
Mounting Option	Base mounting, Bracket mounting, Embrace hoop mounting, Ground spike mounting
Warranty	5 Years
Surge Protection	10kV lline-earth, 6kV line-line, 6kV lline-earth, 4kV line-line
Operating Temperature	-30°C to + 50°C

Cellos Mesh is a smart RGB floodlight featuring an exquisite appearance and Casambi wireless control. No need for complex DMX wiring, the Casambi solution makes installation and maintenance fast and easy. No address programming is required. Adjust the color, brightness, and lighting scenes directly from your smartphone. A range of optics is available, from ultra-narrow 3° beams to wide 75 ° beam options, catering to diverse lighting needs. With IP66 and IK08 ratings, Cellos Mesh delivers reliable performance in outdoor environments.

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4