




KIRITO


REMOVE
ENLEVER
NORTH
NORD
JL-205C
PHOTOCONTROL
CELLULE PHOTOÉLECTRIQUE
INSTALL
INSTALLER



INSTALL
INSTALLER
























AGC lighting
www.agcled.com


LOGISTICS ASIA
Coca-Cola
AGC lighting
www.agcled.com


VT 201
EB
ERFURTER BAHN
AGC lighting
www.agcled.com


OUTLETVILLAGE
AGC lighting
www.agcled.com




D
AGC lighting
www.agcled.com


AGC lighting
www.agcled.com

ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	ST03
Power	15W, 20W, 30W, 50W, 70W, 90W, 120W, 150W
Efficacy	140lm/W, 135lm/W
Input Voltage	120-240 VAC, 120-277VAC, 50 / 60 Hz
Power Factor	>0.92, >0.95
CCT	5000K, 4000K, 3000K
CRI(Ra)	80, 70
Control	DALI, 1-10V dimmable, Photocell, Timer, Solar
Corrosion Class	C3
IP Rating	IP66
IK Rating	IK08
Mounting Option	Pole Mounting, Wall Mounting
Warranty	5 Years
Surge Protection	6kV line-line, 10kV line-earth
Operating Temperature	-30°C to + 50°C

The product has been discontinued online. Please contact our sales representative for more information.
HiSmooth LED streetlight is low-profile, durable and state-of-the-art fixture. Designed for roadway and parking lot area. Classic design. Tool-free open and maintenance, easy replacement for LED driver. Power-off & high Surge Protection. Smart control. Wide choice of optics and installation spigots. Applications Architectural Car Parks & Plazas

KIRITO

PRODUCT VIEWS




VIEW 1



VIEW 2



VIEW 3



VIEW 4

PRODUCT VIEWS



VIEW 5



VIEW 6