KIRITO



BL13

Soft Ligting LED Bollard Light

An sleek design featuring soft and gentle lighting that creates a cozy atmosphere, perfect for outdoor garden applications.

- Up to 100lm/W
- IP66
- IK10
- Visual comfort
- Power selectable
- CCT selectable
- DALI 2.0
- CE

Self-cleaning Top Design

Featured a slightly domed design, it avoids the accumulation of rain, snow and dust, ensuring long-term performance even in harsh environments.




3 Power & 2 CCT Selectable

Internal dip switch enables easy adjustment of 3 power levels and 2 CCT options, effectively reducing your inventory SKU.




Power / Percentage	25W	15W
100%	25W	15W
80%	19W	11W
60%	13W	8W






Soft Light & Warm Ambiance

Delivering soft and gentle light, it matches well with lighting fixtures of the same style, creating a warm and cozy atmosphere.




360° Flexible Mounting

Supports 360° flexible mounting. There is no need to line up screw holes, just adjust the position and fasten it for all-direction lighting.



Anchor Bolt templates:

Suitable for concrete ground.



Backfilled anchor:


Suitable for grassland and muddy ground.



Junction box:

Loop-in and loop-out design for quicker series connection.






No junction box

ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	BL13
Power	15W, 25W
Efficacy	100lm/W
Input Voltage	220-240VAC, 50 / 60 Hz
Power Factor	>0.90
CCT	3000K, 4000K
CRI(Ra)	70, 80
IP Rating	IP66
IK Rating	IK10
Mounting Option	Anchor Bolt templates
Warranty	5 Years
Operating Temperature	-30°C to + 50°C

The BL13 is a sleek bollard light designed to deliver soft, gentle lighting for outdoor gardens. It features three adjustable power levels and two CCT options, significantly reducing inventory needs. The 360° flexible mounting system eliminates the need to align screw holes; simply position the fixture in any direction and fasten. The slight dome design prevents the accumulation of rain, snow, and dust, while IP66 and IK10 ratings ensure long-term outdoor performance.

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4