



HiPole X

More than area light


180W-600W • Up to 150lm/w • 100-277V 277-480V




R10502




R10503




R10504




R10505



R10533



R10564



Tennis court lighting solution

Creating good visibility require sufficient contrast between balls and their background, good illumination levels and even distribution of light across the playing surface.

KIRITO Lighting is distributed at high vertical levels, providing a well lit service area and playing zone!





Premier Auto Dealerships Lighting Solution


A properly-lit dealership is one of the deciding factor between a customer pulling into your lot or moving on. Having the right lighting option in the right location will make the area warm, safe and inviting.


KIRITO optical precision, illustrating our ability to provide much higher light levers on-front-line vehicle areas utilizing our front line optic technology to attract nighttime customers.

HiPoleX support for multiple installation including bracket mounting, vertical square/round pole mounting, horizontal pole mounting for different occasions.











KIRITO




REMOVE
ENLEVER
NORTH
NORD
JL-205C
PHOTOCONTROL
CELLULE PHOTOÉLECTRIQUE
INSTALL
INSTALLER


INSTALL
INSTALLER






AGC lighting
www.agcled.com


AGC lighting
www.agcled.com




AGC lighting


AGC lighting
AGC lighting

ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	ST11
Power	180W, 240W, 300W, 450W, 600W
Efficacy	150lm/W
Input Voltage	120-240VAC, 50 / 60 Hz
Power Factor	>0.93
CCT	5000K, 4000K, 3000K
CRI(Ra)	70
Control	Photocell, 1-10V Dimmable, Non-Dimmable
IP Rating	IP66
IK Rating	IK10
Mounting Option	Post Top /Side Entry, Wall / Straight Arm
Warranty	5 Years
Surge Protection	6kV line-line, 10kV line-earth
Operating Temperature	-30°C to + 50°C

The product has been discontinued online. Please contact our sales representative for more information. HiPole X can work as both LED floodlights and area lights. Thanks to KIRITO’s unprecedented design, it can deliver incredible efficiency without sacrificing application performance. With Type 2/3/4/5 and asymmetric lighting distributions to meet any of your project needs, power rated by small sizes 180W and 300W, larger sizes 450W and 600W, enough to replace the 400W-1000W old lamps. HiPole X is a good alternative for traditional floodlight and area lighting with quick payback and improved performance. As per feedback, HiPole X is the most suitable LED fixture that fulfills all the requirements of the tennis court, also it works perfectly to use as area lighting. Lighter weight heat sink compared with traditional lamps. PC optic lens up to 93% lighting transparency. Backlight control achieves superior lighting quality. Quick mounting by reading the graduated scale, installation easier. The best lighting solution for use in tennis courts, parking areas, etc. Applications Stadium & Arenas Car Parks & Plazas Basketball Court Tennis and Padel Court

PRODUCT VIEWS




VIEW 1



VIEW 2



VIEW 3




VIEW 4


PRODUCT VIEWS



VIEW 5



VIEW 6



VIEW 7



VIEW 8