

FL63 Focus


6W Outdoor LED Projector Floodlight

Aesthetic design is inseparable from lighting, and Focus is crafted to small-scale accent lighting, like villa courtyards, murals & water features.


IP66 | IK08 | DMX512 | RGB | RGBW | 65536 Gray Grade

Diverse and Precise Optical Design

Various optical angle options can enhance aesthetic design, captivate passersby, and create a sense of hierarchy while also fostering soft or lively atmospheres.



White light optional angles



RGB/RGBW light optional angles



Flexible Installation Adapt to Various Scenarios

Focus has three installation methods, to adapt to different small-scale focused lighting scenarios.



Ground spike mounting



Embrace hoop mounting



Bracket mounting

Various Selectable Lighting Modes

Various lighting modes provide flexibility in creating different moods, atmospheres, and effects, allowing for adaptability to specific lighting requirements or preferences.

Single White


Single white can be useful for creating a specific ambiance or highlighting certain elements.




RGB/RGBW

By mixing primary colors, it enables 3 or 4 channels to create visually appealing and dynamic lighting displays.








DMX512 Intelligent Control

DMX512 offers a flexible, precise, and programmable lighting control method, allowing operators to create diverse and rich lighting scenes.





ADDITIONAL PRODUCT SPECIFICATIONS


Series Code	FL63
Power	6W
Efficacy	100lm/W
Input Voltage	DC 24V, 50 / 60 Hz
CCT	2200K, 3000K, 4000K, 5000K
CRI(Ra)	70, 80, 90
Control	DMX
IP Rating	IP66
IK Rating	IK08
Mounting Option	Bracket mounting, Embrace hoop mounting, Ground spike mounting
Operating Temperature	-30°C to + 50°C

FL63 is a low power DC24V input landscape light, it supplies kinds of optic options, from narrow beams to wide beams. Three kinds light emitting modes, single white, RGB and RGBW as well as DMX control, which can satisfy different applications. Multiple installation ways make it a perfect choice for small range focus landscape lighting. Exquisite appearance DC 24V mode Various beam angles optional Single white, RGB, RGBW by DMX control Multiple installation methods optional Excellent heat dissipation for longer service life Applications: Sculptures, Bridges, Stone columns, Bushes, Shopping malls, Stages, Plazas

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4

PRODUCT VIEWS



VIEW 5