


HB57

The most competitive High Bay with super high efficacy 200lm/W & 210lm/W

- 200 & 210 lm/W
- IP65
- IK08
- 0-10V
- Zhaga Base
- PIR Sensor
- Microwave Sensor
- 5 YEARS Warranty

KIRITO



High Efficacy, Save Electricity Charges


100W is sufficient to replace a 400W HID.

Ltem	HB57 210lm/W		Old or Normal HB	Mercury vapour larnps (HID,MH,etc)
Power	100W		200W	400W
Lumen	21000LM		24000LM	22000LM
Consumption per month (10H/D, 20D/M)	24 Kwh	VS	40 Kwh	80 Kwh
Electricity charge	USD 0.3/Kwh		USD 0.3/Kwh	USD 0.3/Kwh
Light Qty	100pcs		100pcs	100pcs
Electricity charges/Year	USD 8784		USD 14400	USD 28800
Electricity charges in 5 year	USD 43290		USD 72000	USD 144000

Power Selectable, Less SKU, More Flexible

The power could be set to 60%, 80% and 100% by adjusting the DIP switch on driver.


By this way, it can save SKU and make sure fast delivery. What's more, luminaires that have already been installed can be temporarily adjusted to save more electricity if they are found to be too bright.



Intelligent Solution, More Energy-saving

Twist central sensor making the high bay solution more energy-saving and with higher performance.









Zhaga Base

Zhaga base is optional to match different smart controllers.

Optimized Packaging, Save Freight Cost


The optimized package facilitates transportation and storage.





20 GP: **1224**PCS

HB57-100W/120W/160W



20 GP: **1080**PCS

HB57-200W

ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	HB57
Power	100W, 120W, 150W, 200W
Efficacy	210lm/W
Input Voltage	100-277VAC, 50 / 60 Hz
Power Factor	>0.95
UGR Level	28
CCT	3000K, 4000K, 5000K
CRI(Ra)	70, 80
Control	0-10V Dimmable, Microwave Sensor, PIR Sensor
IP Rating	IP65
IK Rating	IK08
Mounting Option	Loop Hanging, Ceiling Mounting
Warranty	5 Years
Surge Protection	6kV line-line, 6kV line-earth
Operating Temperature	-30°C to + 50°C

The product has been discontinued online. Please contact our sales representative for more information. HB57 is a cost-effective and compact high bay with the super high efficacy 210LPW in the market. Together with twist central sensor, the high bay solution is more energy-saving and has higher performance. Optimized compact housing structure ensures excellent heat dissipation function with operating temperature: -30°C to +50°C. Optimized packaging helps save freight and storage costs. What's more, It uses the power selectable driver to help to reduce 66% SKU. 210 LPW. Compact design for three sizes. Full wattage 100W, 120W, 150W, 200W. Intelligent control: Twist microwave motion sensor and PIR sensor, 0-10V dimmable. Multiple beam angle: 60°, 90°, 120°. Multiple installations: loop hanging, ceiling mounting. Full certificates CE, ROHS, CB, C-tick, and SAA are available. PC and ALU reflectors are optional. Applications: Indoor ceiling application, Warehouse, Factory, Industrial facilities, Chemical Facilities, Exhibition centers, Shopping malls, Stadiums, Toll stations.

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4

PRODUCT VIEWS



VIEW 5