KIRITO



CP01 Reese

Multifunctional Canopy Light

Provide soft lighting, 3 CCT & 4 wattage selectable solutions

150 lm/w
IP65
IK08
Selectable
Plug-and-play Microwave
Plug-and-play PIR
CCT Selectable
UGR
DALI.2
5 YEARS Warranty

Fine Design

CP01 is a pretty cost-effective gas station light with a simple but stylish design. The aluminum die-casting heat sink comes with light weight but excellent thermal management performance.






Light weight


Mount with adapter plate



Visual Comfort & People Oriented

When choosing to add the reflector, light is soft and even. You will feel great visual comfort.







3 CCT & 4 Wattage Selectable


For glass version, when with a built-in dip switch, 3 CCT & 4 wattage selectable is available, which can dramatically help save SKU and shipping cost.

- 3 CCT selectable
  Color temperature selectable



- 4 Wattage selectable
  30%、50%、75%、100% selectable





Microwave & PIR Sensor

Plug-and-play Microwave and PIR sensor control make it more energy-saving based on 150lm/w and saves your electric bills. (Sensors options can not be with power selectable version.)



ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	CP01
Power	75W, 100W, 120W
Efficacy	150lm/W
Input Voltage	100-240 VAC, 50 / 60 Hz
Power Factor	>0.90
CCT	3000K, 4000K, 5000K
CRI(Ra)	70, 80
Control	0-10V, DALI, Plug-and-play Microwave or PIR sensor
IP Rating	IP65
IK Rating	IK08
Mounting Option	Surface mount, Surface mount with adapter plate, G 3/4 conduit mount
Warranty	5 Years
Surge Protection	6kV line-line, 10kV line-earth
Operating Temperature	-30°C to + 50°C

CP01 is a pretty cost-effective gas station light with a simple while stylish design. It is designed with a high level of product recognition. The aluminum die-casting heat sink comes with light weight but excellent thermal performance. A variety of installation ways ensure a low maintenance cost and easy installation. Multiple functions like 0-10V, DALI, plug-and-play microwave or PIR sensor control make it more energy-saving based on 135lm/W. When choosing to add the reflector, you will feel great visual comfort. With a built-in dip switch, 3 CCT&4 wattage adjustable is available, which can dramatically help saving SKU. Full wattage 75W, 100W, 120W. High light efficacy 150lm/W, 90° and 120°. Cost-effective solution based on die-casting aluminum housing. 3 CCT&4 wattage adjustable available. Multiple installations: ceiling mounting, G 3/4” Conduit mounting. Full Certificate CE, ROHS, C-TICK, SAA available. IP65, IK08. Applications : For indoor and outdoor lighting applications, Gas stations, Petroleum Canopy lighting, Underground parking lot, Warehouse, Industrial Facility, Exhibition Center, Shopping Mall, Gymnasium, Toll Station and so on.


PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4