

KIRITO


AGC lighting
www.agcled.com
gedd!t
WATCH BANDS
BATTERIES


AGC lighting
www.agcled.com

AGC lighting
www.agcled.com





10/02/2017 20:26
AGC lighting
www.agcled.com

ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	FL05
Power	100W, 150W, 200W, 240W
Efficacy	135lm/W
Input Voltage	100-240 VAC, 50 / 60 Hz
Power Factor	>0.92
CCT	5000K, 4000K, 3000K
CRI(Ra)	80, 70
Control	DALI, Dimmable, Non-Dimmable
IP Rating	IP66
Mounting Option	Bracket Mounting, Pole Mounting
Warranty	5 Years
Surge Protection	6kV line-line, 10kV line-earth
Operating Temperature	-30°C to + 50°C, -30°C to + 40°C

The product has been discontinued online. Please contact our sales representative for more information. HiBoard is born for billboard lighting. As the high demand for the advertising business, a highway is a popular place for advertising, where HiBoard could be applied. HiBoard aims to provide superb lighting distribution with a specially designed lens, which is tailored for wide and tall billboards. Moreover, HiBoard is available with other symmetric lenses 30°/60°/90° and asymmetric lens 65*120°. Mast adaptor pair with both 60mm round and square pole. HiBoard works not only as a billboard light for advertising but also as a perfect sports lighting solution. Adopting the premium die-casting material. Most popular power 100/150/200/240W. Delicate housing with good aesthetic features. Multiple optic lenses are available to suit different install places. U-type bracket and pole mounting optional, pair with round and square pole. Applications Agricultural Shed Billboard Basketball Court Tennis and Padel Court

PRODUCT VIEWS




VIEW 1



VIEW 2



VIEW 3



VIEW 4


PRODUCT VIEWS



VIEW 5



VIEW 6



VIEW 7



VIEW 8