

## High compatibility,save SKU

One heatsink has 5kinds of mounting options



Straight-arm mounting



Side entry mounting



Post top mounting



Twin strut mounting



Single strut mounting

## 5-level Battery Charge Indicator


flashing means charging



KIRITO


# CCT Selectable Solution

3000K -4000K - 5000K CCT switchable assures you of proper light color in various









**3000K** Private garden



**4000K** City Park



**5000K** Streetscape

# Smart control Solution for more energy saving

Built-in microwave, PIR sensor and timer dimming






Timed dimming

## High Efficiency Up to 170lm/w

170lm/w effeciency rating allows the light to produce more light output per unit of power consumed.

up to 170lm/w

up to 1700lm

## Numerous Lighting Distributions

Our advanced optical designs make luminaires the perfect solution for urban and street lighting application.



R01201



R01202



R01203



R01204



R01205



R01207



R01208



R01209



R012011

# ADDITIONAL PRODUCT SPECIFICATIONS

| | |
|---|---|
| Series Code | SL30 |
| Power | 5W, 10W |
| Efficacy | 170lm/W |
| CCT | 3000K, 4000K, 5000K |
| CRI(Ra) | 70, 80 |
| IP Rating | IP66 |
| Mounting Option | Single strut mounting, Twin strut mounting, Straight-arm mounting, Post top mounting, Side entry mounting |
| Warranty | Battery 3-year□Other accessories 5-year warranty Years |
| Operating Temperature | 0°C to + 50°C |

The product has been discontinued online. Please contact our sales representative for more information. Sunlit is a versatile solar post top light up to 170lm/W. No uplight. Built-in five-level battery charge indicator helps you see the battery's capacity clearly. Different working modes are available by a simple remote control, such as microwave motion sensor, full brightness / half brightness, AUTO, 3H/5H/8H timer modes. CCT also can be changed by remote control. Sunlit can be mounted on round or square poles by various popular brackets. IP66 rating is much better than most of similar products in the market, ensuring its durability in outdoor parks, gardens, car parks, etc.

# PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4