

BL03 Tama


LED Bollard with 360°Coverage
CCT & Power Adjustable


130lm/w | IP66 | IK08 | 5 YEARS Warranty | Easy Clean | Corrosion Resistance

360°Coverage Bollard Light

BL03 is the newest 360°-surround-lighting bollard with Type V distribution for wider illumination zone and to avoid shadows caused by lamp arms








CCT & Power Adjustable

Maximize project flexible and reduce SKU as less as possible

3 CCT Adjustable

3000K, 4000K, 5000K adjustable



4 Power Adjustable

100%、75%、50%、30% adjustable








2 Mounting Options

Enrich your urban light family

360° coverage



Bollard light

Asymmetric



Wall light

2 Vision Options





ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	BL03
Power	14W, 25W
Efficacy	110lm/W, 130lm/W
Input Voltage	220-240 VAC, 50 / 60 Hz
Power Factor	>0.90
CCT	3000K, 4000K, 5000K
CRI(Ra)	70, 80
Control	Non-dim, Dimmable, DALI
IP Rating	IP66
IK Rating	IK10
Mounting Option	Mounting kit with anchor bolts
Warranty	5 Years
Surge Protection	0.5kV line-line, 4kV line-line, 6kV line-earth
Operating Temperature	-30°C to + 45°C

BL03 has elegant cylinder housing, 360° emitting light and Type V distribution, making it to be ideal landscape lighting solution for beautifying environment and guiding pedestrian. Smooth surface helps it to be easily cleaned. 360° coverage and visual comfort. 14W, 25W in 0.5m or 1m height High output lumen efficiency up to 130lm/W 3 CCT adjustable 30%, 50%, 75% and 100% power adjustable 100% aluminum alloy ADC12 AL6063 Applications: Gardens, Pathways, Sidewalk, Building Entrance

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4