

FL31 EPOCH MIDI

A high versatility floodlight with the easiest installation, operation and maintenance

IP66

IK08

20KV SPD

5 YEARS WARRANTY

KIRITO



Design for high versatility

System efficiency up to 140lm/W

- Lumen package 28,000lm-84,000lm
- Precise adjustable
- Die-cast Heatsink & Control Gear
- AkzoNobel Powder coating
- Protection class rated at IP66, IK08 and 20KV SPD
- For area and sport lighting, which is scattered in Town, Community, Camps and Club.


1-10V DALI 2 DMX RDM Photocell

Design for high reliability

Epoch combines those incredibly from design to installation



Corrosion-proof



Module replaceable



Tool free open

Design for high flexibility



Professional optics

Designed for precise coverage and high uniformity of light output. ONE-SHEET lens is easy to exchange.

Flexible modules

Separate modules can be mounted on the same robust bracket to offer the utmost flexibility.



Graduated slot enables the module adjustment on a vertical plane to be simple and precise.

Flexible wattage


400W: Middle part is empty
or a metal plate
600W: A LED module

Fast installation

Bent bracket makes it easy and fast to install

Precise coverage to the lit area

Epoch Midi delivers superior lighting distributions



Narrow emission 10°


Narrow emission 15°

Medium emission 30°

Wide emission 45° , 60°

Medium emission 15 x 40°


ASY emission 38° x 100°




REMOVE
ENLEVER
NORTH
NORD
JL-205C
PHOTOCONTROL
CELLULE PHOTOÉLECTRIQUE
INSTALL
INSTALLER


INSTALL
INSTALLER





ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	FL31
Power	200W, 400W, 600W
Efficacy	125lm/W, 140lm/W
Input Voltage	100-277VAC, 50 / 60 Hz
Power Factor	>0.91
CCT	5000K, 4000K
CRI(Ra)	70, 80
Control	1-10V Dimmable, DALI, DMX
IP Rating	IP66
IK Rating	IK08
Mounting Option	Bracket Mounting
Warranty	5 Years
Surge Protection	6kV line-line, 10kV line-earth, 20KV
Operating Temperature	-30°C to + 40°C

The product has been discontinued online. Please contact our sales representative for more information. Epoch Midi aims to provide lighting solutions for small and middle-size sports courts and also can work for general area lighting. This is a high-versatility floodlight with the easiest installation, operation, and maintenance. The bent bracket makes it easy and fast to install. Brackets with the graduated slot enable the single LED module and the whole luminaire adjustment very conveniently, for example, the LED modules can be adjusted upward and downward precisely. Epoch Midi can create a fully bright and comfortable atmosphere to let people have a feeling of safety and enjoy entertainment, so it delivers not only light but also brings people lots of fun, happiness, and hope. Die-cast heat sink and control gear box with professional anti-corrosion powder coating and special surface treatment ensures the luminaire with good corrosion resistance. Narrow, wide, symmetrical, and asymmetrical optics are optional. Precise adjustment and fast installation. Drivers can be installed integrally or separately, flexible for different projects.

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4