
EURO benz
AGC lighting
REZERVNI DIJELOVI • KAROSERIJSKI DIJELOVI
POTROŠNI MATERIJAL • DODATNA OPREMA • GUME
LPG

KIRITO

ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	FL12
Power	50W, 80W, 100W, 150W
Efficacy	160lm/W
Input Voltage	100-240 VAC, 50 / 60 Hz
Power Factor	>0.90
CCT	3000K, 4000K, 5000K
CRI(Ra)	70, 80
Control	Dimmable
IP Rating	IP66
IK Rating	IK08
Mounting Option	Ceiling Mounting, Recessed
Warranty	5 Years
Surge Protection	6kV line-line, 10kV line-earth
Operating Temperature	-30°C to + 50°C

The product has been discontinued online. Please contact our sales representative for more information. HiGas-X is multiple installations canopy light, comes with high light efficacy which up to 160 LPW. LEDs placed on high performance Die-cast aluminum housing for reduced junction temperatures and extended life. Its structure also designed to be easy maintenance. Ideal lighting solution for safer and more appealing petroleum canopies, fueling stations, toll stations, convenience stores, drive-thru restaurants, banking locations, underpasses, and low-medium bay general lighting. Energy-efficient & cost-effective replacement for existing traditional canopy luminaires 50W 80W 100W 150W. High efficiency: 160lm/W Mounting options: Recessed Mount, Surface Mount, Suspension Mount. Installs quickly into existing Φ100mm hole or 400x300mm rectangular hole without extra cutting, drilling or caulking. One SKU perfectly solves two installations, surface mount and recessed mount by the same bracket. Light weight to easy installation. IP66, IK08 & 10KV multiple protection. Applications Petroleum & C-Store

PRODUCT VIEWS




VIEW 1



VIEW 2



VIEW 3



VIEW 4