Dark-sky Friendly Design

Full cut-off asymmetric optic well directs the light and precisely forward-throw it to where it is needed, without light pollution, helping stargazers enjoy amazing starry skies.



Advanced Optical Design

Zero Uplight

Warm Color Temperatures

Low Glare Technology

KIRITO

Key Advantages

The compact yet smooth-line design appeals to its sophisticated appearance and attention to detail, which can subtly enhance any urban environment while bringing an aesthetic touch.






The hidden screw design makes it look nicer.



IP66 high protection grade prepares for use in unroofed areas.



The vent prevents internal fogging.




2 CCT & 3/5 power selectable, reduce SKUs while maximizing choices, ensuring rapid delivery to customers.




Small size and light weight save much freight cost, extremely friendly for making stock.


Easy Assembly



Thanks to positioning stickers, installers can drill holes precisely and quickly.



Quick terminal block eases cable connection.



Cables can go inside from the bottom or side, very flexible.

ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	WP17
Power	20W
Efficacy	130lm/W, 145lm/W
Input Voltage	220-240VAC, 100-240 VAC, 50 / 60 Hz
Power Factor	>0.90
Control	Power and CCT selectable
IP Rating	IP66
IK Rating	IK10
Mounting Option	Wall Mount
Warranty	5 Years
Operating Temperature	-30°C to + 45°C, -30°C to + 50°C

Smartlite is a cost-effective & elegant wall pack light, ideal for distribution channels. 2 CCT & 3/5 power selectable options reduce SKUs and ensure rapid delivery. Small size and lightweight save much freight cost, extremely friendly for making stock. Despite its compact size, it maintains reliability with IP66 & IK10 high protection grade. Most important is, Smartlite with warm CCT is dark-sky compliant, no light pollution, helping stargazers enjoy amazing starry skies.

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4