

WP06 NORRIS

Functional and Robust LED Wall Light.

145 lm/w

IP66

IK10

Photocell


Emergency solution

CCT selectable

KIRITO

SKU & Energy Saving

CCT-selectable in 3000K 4000K 5000K



- CCT-selectable help to create flexible inventory
- Switchable on site for projects demands
- Choose preferred CCT easily in three steps
  (Push Up--on Middle--Push Down)





Photocell

Photocell can awake up wall light automatically by detecting ambient lux level ,and turn off as requirements.

1




100-240VAC inpu
Code: JL-403C



Power off Power on

Emergency function


Built-in battery for emergency.



Installation flexibility



Wiring from back side



Wiring from side






Four screw holes reserved for easy installation no need drilling hole again.



Push type wire holder reserved for leading in AC cable faster.



Alternative wiring from side, taking off screws instead by waterproof connector.



Wiring go through and out from waterproof rubber plugs on back side.



ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	WP06
Power	15W, 25W, 35W, 45W, 55W
Efficacy	140lm/W
Input Voltage	220-240VAC, 50 / 60 Hz
Power Factor	>0.92
CCT	3000K, 4000K, 5000K
CRI(Ra)	70, 80
Control	Photocell
IP Rating	IP66
IK Rating	IK10
Mounting Option	Wall Mounting
Warranty	5 Years
Surge Protection	2kV line-line, 4kV line-earth, 4kV line-line, 6kV line-earth
Operating Temperature	-30°C to + 50°C

The product has been discontinued online. Please contact our sales representative for more information. Norris is a 3 CCT adjustable and Emergency function available LED wall pack light. 3 CCT adjustable means one SKU can meet 3 different colour temperature requirements. The emergency function ensures the necessary illumination in the even of power losss. Besides, photocell makes it a more energy saving solution for different applications. High efficiency up to 140lm/W. 3 CCT & Power selectable can reduce 9 SKU for each luminaire. Photocell option for energy saving. Emergency function optional.

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4