KIRITO



reddot winner 2024

HB81 Candela

A classical aesthetic concept, pays homage to the European love for traditional pendant lights

A versatile lighting fixture for various industrial, commercial, and indoor sports scenario.

200 lm/W | 0-10V | IP65 | IK08 | CCT Selectable | Power Selectable | Zhaga


200lm/W high lumen efficiency

Minimizing the power consumption, as excellent lighting solution for retrofit or new projeccts



Unique design

Its unique design cleverly combines people's deep affection for traditional lighting fixtures and molds it into a whole through exquisite craftsmanship, complemented by precise optical and efficient power components.




100-120W: ϕ282 x 140mm **150-200W:** ϕ325 x 140mm


Power and CCT adjustable integrated in one fixture

Saving units in stock, less SKU gets flexible solutions


Power selectable



CCT selectable









Zhaga base as default, available for sensor or Casambi



Plastic-free and recyclable packing material




ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	HB81
Power	100W, 120W, 150W, 200W
Efficacy	150lm/W, 160lm/W, 170lm/W, 180lm/W, 200lm/W
Input Voltage	220-240VAC, 50 / 60 Hz
Power Factor	>0.95
UGR Level	28
CCT	3000K, 4000K, 5000K
CRI(Ra)	70, 80
Control	DALI, Daylight Sensor, Microwave Sensor, PIR Sensor
IP Rating	IP65
IK Rating	IK08
Mounting Option	Loop Hanging, Ceiling Mounting
Warranty	5 Years
Surge Protection	6kV line-earth, 6kV line-line
Operating Temperature	-30°C to + 50°C

The product has been discontinued online. Please contact our sales representative for more information. HB81 is a UFO high bay light with a unique appearance design and super high efficiency of up to 200lm/W. It is available in power options of 100W, 120W, 150W, and 200W. The compact design in two sizes helps save costs and freight. Additionally, the power-selectable function reduces SKU inventory. It works with a ZHAGA socket sensor, making it a flexible solution for both wholesale and contract channels. Light efficiency up to 200lm/W Power selectable Plug-and-play ZHAGA socket sensor Loop and ceiling mounting are available IP65 & IK08 double protection Applications: Warehouse, Food processing plant, Exhibition center, Shopping mall, Gymnasium, Airport, Library.

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4

PRODUCT VIEWS



VIEW 5