

KIRITO


VANOLI
VANOLI
VANOLI
DEWALT
AGC lighting
www.agcled.com
24
errea
GRUPPO BOSSONI
VANOLI
VANOLI
VANOLI
VANOLI


SAMSUNG
Galaxy S7 edge | S7
Rethink what a phone can do


STELLA ARTOIS
STELLA ARTOIS
STELLA ARTOIS
STELLA ARTOIS
PTL
PTL
PTL
PTL
prince
COURT
#2


HEAD
HEAD
HEAD
HEAD
AGC lighting
AGC lighting
AGC lighting



ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	FL01
Power	60W, 90W, 120W, 180W, 240W
Efficacy	135lm/W, 165lm/W
Input Voltage	100-240 VAC, 100-277VAC, 50 / 60 Hz
Power Factor	>0.90, >0.92
CCT	5000K, 4000K, 3000K
CRI(Ra)	80, 70
Control	DALI, Motion, Daylight Sensor, PIR Sensor, 1-10V Dimmable, Non-Dimmable
IP Rating	IP65
Mounting Option	Ground, Wall Mounting
Warranty	5 Years
Surge Protection	2kV line-line, 4kV line-earth
Operating Temperature	-30°C to + 50°C


The product has been discontinued online. Please contact our sales representative for more information. HiCover is KIRITO’s first floodlight, it’s designed to beat the common COB floodlights and traditional HID floodlights. By adopting the classical modular heat sink, wattage can extend from 60W to 240W, and system efficiency delivers up to 165lm/W. 30W per module, full series 60W to 240W available. Lens is replaceable and easy to make stock. High-efficiency 165lm/W, more energy saving. IP66, IK10, 10kV surge protection Applications Billboard Seaport Tennis and Padel Court

KIRITO


PRODUCT VIEWS




VIEW 1



VIEW 2



VIEW 3



VIEW 4

PRODUCT VIEWS



VIEW 5



VIEW 6



VIEW 7