Hi-Nova


Maybe The brightest LED High Bay !

eco IP65

120W 25200LM replace 400W traditional HID


200W 42000LM replace 750W-1000W traditional HID

3 optimized housings make Hi-Nova to be cost-effective.




150W& 200W Lumen packages selectable!

One fixture provides flexible solutions for stock.



Model	Power / Lumen Output				
150W	/	150W	120W	100W	80W
200W	200W	150W	120W	100W	/
	42,000lm	31,000lm	25,200lm	201000lm	16,800lm

Intelligent controls




Microwave Motion Sensor

PIR Sensor



Fast plug-and-play sensor is easy to be fast installed as projects' requirements.

60°/90°/120°lens optional



60° 90° 120°

Small beam angle with 210lm/W is an innovational design in the market

KIRITO

ADDITIONAL PRODUCT SPECIFICATIONS

Series Code	HB44
Power	100W, 120W, 150W, 200W
Efficacy	150lm/W, 200lm/W, 210lm/W
Input Voltage	200-240VAC, 50 / 60 Hz
Power Factor	>0.95
UGR Level	25.6
CCT	3000K, 4000K, 5000K
CRI(Ra)	80
Control	Dimmable, Non-Dimmable, Microwave Sensor, PIR Sensor
IP Rating	IP65
IK Rating	IK08
Mounting Option	Loop Hanging, Ceiling Mounting
Warranty	5 Years
Surge Protection	4kV line-line, 6kV line-earth
Operating Temperature	-30°C to + 50°C

The product has been discontinued online. Please contact our sales representative for more information. HiNova is suitable for wholesale and distribution channels. CCT selectable & power selectable solution helps save SKU and shipping cost. Small beam angle with 200lm/W version is an innovative design in the market. 150lm/W system efficiency. 210lm/W super high efficiency optional. Central plug Microwave / PIR sensor, CCT selectable, power selectable all in one solution. Applications : Indoor ceiling application, Warehouse, Factory, Industrial facility, Chemical Facilities, Exhibition centers, Shopping malls, Stadiums, Toll stations

KIRITO

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3



VIEW 4