LED Parking Garage Light

Professional Lighting Solution for Parking Garage

- 40/60W
- 140lm/W
- 277-480Vac





KIRITO

ADDITIONAL PRODUCT SPECIFICATIONS


Series Code	ST14
Power	40W, 60W
Efficacy	140lm/W
Input Voltage	100-240 VAC, 100-277VAC, 50 / 60 Hz
Power Factor	>0.90
CCT	5000K, 4000K, 3000K
CRI(Ra)	80, 70
Control	Microwave Sensor, PIR Sensor, Emergency, 1-10V Dimmable, Non-Dimmable
IP Rating	IP66
IK Rating	IK08
Mounting Option	Ceiling Mounting, Pipe Mounting, NPT
Warranty	5 Years
Surge Protection	6kV line-line, 10kV line-earth, 4kV line-line, 6kV line-earth
Operating Temperature	-30°C to + 50°C

The product has been discontinued online. Please contact our sales representative for more information. HiPark Garage light is a low-profile, durable, and state-of-the-art fixture designed for parking garages. Low glare illumination. Anti-glare cover or precisely designed optical lens. Efficiency up to 150lm/W. Built-in Motion Sensor to save more energy. Ceiling and pipe mounting options. Easy installation&maintenance. Applications Petroleum & C-Store Cold Storage Parking Garage

PRODUCT VIEWS



VIEW 1



VIEW 2



VIEW 3




VIEW 4

PRODUCT VIEWS



VIEW 5



VIEW 6



VIEW 7