LED High Bay

UFO-F Series



5 year warranty | IK10 | IP65 | DIMMABLE | 200 lm/W

Catalog Number Logic:

U	xxW	F	Y	Z	T	X	X
1	2	3	4	5	6	7	8

1. UFO Light

2. Wattage
   - 400W
   - 500W

3. F Series

4. Dimming Option
   - Y= N Non-dimmable
   - Y= D Dimmable

5. CCT
   - 2700-6500K
   - RGB/RGBW

6. Beam Angle
   - T=D15 , 15°
   - T=D30 , 30°
   - T=D45 , 45°
   - T=D60 , 60°


7. Efficiency
   - 130-170lm/W


8. Input Voltage
   - AC120-277V


Technical Data:


Model NO.	U-xxWF YZTXX
Input Voltage	AC120-277V
Power Consumption(±5%)	400W; 500W
Power Factor	0.95
Driver	Sosen
Intelligent Control	DMX512/DALI
LED Chip	3737(15°); 5050(30°/45°/60°)
Efficency (±10%)	135lm/W(15°; 400W); 130lm/W(15°; 500W); 165lm/W(30°/45°/60°; 500W); 170lm/W(30°/45°/60°; 400W)
CCT	2700K-6500K
CRI	70/80
Beam Angle	15°/30°/45°/60°
IP Rating	IP65
IK Rating	IK10
Working Temperature	-40°C(-40°F) - +50°C(122°F)
Lifespan	50,000 Hours
Warranty	5 Years
Housing	Die-cast Aluminum
Lens Material	Anti-UV PC Optical Material
Packing Size	L430mmxW430mmxH320mm; 1 pc/ctn L665mm*W665mm*H255mm; 4 pcs/ctn (Visor only)

Photometry: Specialized anti glare optical lens to deliver symmetric lighting solution











Dimensions

Unit: mm/inch



With Visor



Without Visor

Applications:

- Steel Plant
- Aluminum Smeltery
- Pulp Paper Mills
- Power Generation